



ENCLOSURE SYSTEMS

PRICE LIST

Effective : 15th April 2010



BHARTIA CUTLER-HAMMER

BCH ELECTRIC LIMITED
we care for you

Bhartia Boxes




- 51 Different Versions
- Single/Double door versions
- Min. Size : 200 X 200 X 150
- Max Size : 1000 X 1200 X 300
- IP 55/IP66

Double door version



Type	Size (WxHxD) mm	IP-55 Range			IP-66 Range	
		MOQ Nos.	Cat. No.	List Price Rs.	Cat. No.	List Price Rs.
SINGLE DOOR BOX	200x200x150	1	BIL-50000	1540	BIL-60000	1590
SINGLE DOOR BOX	200x300x150	1	BIL-50010	1870	BIL-60010	1960
SINGLE DOOR BOX	250x300x150	1	BIL-50020	1970	BIL-60020	2120
SINGLE DOOR BOX	300x300x150	1	BIL-50030	2065	BIL-60030	2150
SINGLE DOOR BOX	300x300x200	1	BIL-50050	2265	BIL-60050	2490
SINGLE DOOR BOX	300x400x150	1	BIL-50060	2310	BIL-60060	2650
SINGLE DOOR BOX	300x400x200	1	BIL-50080	2700	BIL-60080	2860
SINGLE DOOR BOX	400x300x150	1	BIL-50090	2385	BIL-60090	2680
SINGLE DOOR BOX	400x300x200	1	BIL-50110	2640	BIL-60110	2810
SINGLE DOOR BOX	400x400x150	1	BIL-50120	2555	BIL-60120	2915
SINGLE DOOR BOX	400x400x200	1	BIL-50140	2770	BIL-60140	3155
SINGLE DOOR BOX	400x500x150	1	BIL-50150	2935	BIL-60150	3555
SINGLE DOOR BOX	400x500x200	1	BIL-50170	3130	BIL-60170	3560
SINGLE DOOR BOX	400x600x200	1	BIL-50190	3675	BIL-60190	3765
SINGLE DOOR BOX	500x600x200	1	BIL-50210	4180	BIL-60210	4250
SINGLE DOOR BOX	500x700x200	1	BIL-50220	4690		
SINGLE DOOR BOX	500x700x300	1	BIL-50230	5775		
SINGLE DOOR BOX	600x400x200	1	BIL-50240	3940	BIL-60240	4300
SINGLE DOOR BOX	600x400x300	1	BIL-50250	5145		
SINGLE DOOR BOX	600x500x200	1	BIL-50260	4640	BIL-60260	5140
SINGLE DOOR BOX	600x600x200	1	BIL-50270	4890		
SINGLE DOOR BOX	600x600x300	1	BIL-50280	5930		
SINGLE DOOR BOX	600x700x200	1	BIL-50290	6035		
SINGLE DOOR BOX	600x800x200	1	BIL-50300	5935		
SINGLE DOOR BOX	600x800x300	1	BIL-50320	6930		
SINGLE DOOR BOX	600x1000x200	1	BIL-50330	7205		
SINGLE DOOR BOX	600x1000x300	1	BIL-50340	8300		
SINGLE DOOR BOX	800x800x300	1	BIL-50310	8345		
SINGLE DOOR BOX	800x1000x200	1	BIL-50350	8875		
SINGLE DOOR BOX	800x1000x250	1	BIL-50360	9030		
SINGLE DOOR BOX	800x1000 x300	1	BIL-50390	9575		
SINGLE DOOR BOX	800x1200 x300	1	BIL-50395	13000		
DOUBLE DOOR BOX	1000x800x200	1	BIL-50500	10260		
DOUBLE DOOR BOX	1000x800x300	1	BIL-50520	11740		
DOUBLE DOOR BOX	1000x1000x300	1	BIL-50540	12980		
DOUBLE DOOR BOX	1000x1200x300	1	BIL-50550	14870		

MOQ. Minimum order quantity in nos.



Technical Particulars (BHARTIA BOXES)

- Fabricated from 1.2mm / 1.6mm CRCA sheet steel
(Sizes upto BIL-50170 made from 1.2mm CRCA, beyond this using 1.6mm CRCA)
- Powder coated to shade RAL 7032
- Foamed-in PU gasket
- Hinged door, interchangeable LHS / RHS, opening angle 180 deg for standard hinge & 120 deg for concealed hinge in bigger sizes.
- IP-55 & 66 Degree of protection
- Mounting plate made using 2mm CRCA sheet steel, Deep Orange colour shade RAL 2000
- Cable gland plate 2mm thick provided at bottom
- Cam locking arrangement
- Wall mounting brackets provided as standard

Note : Cutout charges will be extra



- Hinged door with cam locking arrangement
- Fabricated from 1.2/1.6 mm stainless steel sheet
- Mounting plate made up of CRCA sheet steel
- SS grade 304
- Foamed - in PU gasket
- Mounting plate color RAL 2000 (deep orange shade)
- Box upto BIL - 90405020 is made up of 1.2 mm SS & above of 1.6 MM SS.

'BCH - SS' (Stainless Steel)

Type	Size (WxHxD) mm	MOQ Nos.	Cat No.	List Price Rs.
SINGLE DOOR BOX	200X300X150	10	BIL-90203015	Prices on request
SINGLE DOOR BOX	300X300X200	10	BIL-90303020	
SINGLE DOOR BOX	400X400X200	10	BIL-90404020	
SINGLE DOOR BOX	400X500X200	10	BIL-90405020	
SINGLE DOOR BOX	400X600X200	10	BIL-90406020	
SINGLE DOOR BOX	500X600X200	10	BIL-90506020	
SINGLE DOOR BOX	600X600X200	10	BIL-90606020	
SINGLE DOOR BOX	600X800X200	10	BIL-90608020	
SINGLE DOOR BOX	500X700X300	10	BIL-90507030	
SINGLE DOOR BOX	800X800X300	10	BIL-90808030	


MOQ - Minimum order quantity in nos.
Note - SS grade 304



- 43 Different Versions
- Min. Size : 150 X 150 X 80
- Max Size : 800 X 400 X 120
- IP 55/IP66

Terminal Boxes

Box Size (W x H x D)	IP-55 Range			IP-66 Range	
	MOQ	Cat. No.	List Price Rs	Cat. No.	List Price Rs
150x150x80	5	BIL-70000	885	BIL-80000	945
200x150x80	-			BIL-80100	1000
300x150x80	5	BIL-70010	1040	BIL-80010	1155
200x200x80	5	BIL-70020	1090	BIL-80020	1175
300x200x80	5	BIL-70030	1135	BIL-80030	1235
400x200x80	-			BIL-80110	1260
600x200x80	-			BIL-80130	1630
150x150x120	5	BIL-70040	940	BIL-80040	1050
200x150x120	-			BIL-80150	1105
300x150x120	5	BIL-70050	1145	BIL-80050	1210
200x200x120	5	BIL-70060	1095	BIL-80060	1270
300x200x120	5	BIL-70070	1250	BIL-80070	1400
400x200x120	5	BIL-70080	1455	BIL-80080	1600
300x300x120	5	BIL-70090	1510	BIL-80090	1665
400x150x120	-			BIL-80170	1420
400x300x120	5	BIL-70180	1940	BIL-80180	2090
400x400x120	5	BIL-70190	2245	BIL-80190	2420
500x200x120	5	BIL-70200	1840	BIL-80200	2010
500x300x120	5	BIL-70210	2195	BIL-80210	2360
600x200x120	5	BIL-70220	1975	BIL-80220	2060
600x300x120	5	BIL-70230	2400	BIL-80230	2550
600x400x120	5	BIL-70240	2705	BIL-80240	2835
800x200x120	5	BIL-70250	2550	BIL-80250	2705
800x400x120	5	BIL-70260	3225	BIL-80260	3360



Technical Particulars (TERMINAL BOXES)

- Fabricated from 1.2mm CRCA sheet steel
- Powder coated to shade RAL 7032
- Foamed-in PU gasket
- Provided with screwed cover on top
- IP-55 & 66 Degree of protection
- Brackets provided inside to facilitate DIN rail mounting
- Holes with Gromet provided to facilitate cable entry in IP 55 terminal boxes
- Wall mounting brackets provided as standard

Note: Cutout charges will be extra

MOQ-Minimum order quantity in nos.

Enclosure Systems BCH

Techno Modular Enclosures


Size of Enclosure (W x H x D in mm)	Cat. No.	Enclosure Version*					Plinth		Side Covers (Pair)	
		MOQ No.	LP 001 Rs.	LP 002 Rs.	LP 003 Rs.	LP 004 Rs.	Cat. No.	List Price Rs.	Cat. No.	List Price Rs.
600x1800x400	TME 061804	1	21825	23275	18535	19900	TPL 061804	2200	TSC 061804	4070
800x1800x400	TME 081804	1	25680	27380	21125	22770	TPL 081804	2435	TSC 081804	4070
1000x1800x400	TME 101804	1	33525	37005	27830	30615	TPL 101804	2835	TSC 101804	4070
1200x1800x400	TME 121804	1	39215	41115	32890	34915	TPL 121804	2900	TSC 121804	4070
600x1800x500	TME 061805	1	23025	24670	19965	21505	TPL 061805	2270	TSC 061805	4400
800x1800x500	TME 081805	1	27010	28465	22585	24355	TPL 081805	2550	TSC 081805	4400
1000x1800x500	TME 101805	1	37320	38960	31245	32890	TPL 101805	2750	TSC 101805	4400
1200x1800x500	TME 121805	1	40230	41500	33780	35170	TPL 121805	2950	TSC 121805	4400
600x2000x400	TME 062004	1	23530	25140	19965	21700	TPL 062004	2200	TSC 062004	4065
800x2000x400	TME 082004	1	27580	29095	21760	24670	TPL 082004	2435	TSC 082004	4065
1000x2000x400	TME 102004	1	37320	39850	29095	31440	TPL 102004	2600	TSC 102004	4065
1200x2000x400	TME 122004	1	41620	43390	34535	36180	TPL 122004	2800	TSC 122004	4065
400x2000x500	TME 042005	1	19610	21195	16700	18470	TPL 042005	2420	TSC 042005	4545
600x2000x500	TME 062005	1	23910	26505	20500	22770	TPL 062005	2425	TSC 062005	4545
800x2000x500	TME 082005	1	28465	30360	23655	25935	TPL 082005	2580	TSC 082005	4545
1000x2000x500	TME 102005	1	37950	40480	31500	33775	TPL 102005	2935	TSC 102005	4545
1200x2000x500	TME 122005	1	41745	43390	34915	36560	TPL 122005	3095	TSC 122005	4545
400x2000x600	TME 042006	1	21125	22645	18215	19860	TPL 042006	2330	TSC 042006	5480
600x2000x600	TME 062006	1	24990	26945	21505	23275	TPL 062006	2375	TSC 062006	5480
800x2000x600	TME 082006	1	29035	30740	24290	25935	TPL 082006	2650	TSC 082006	5480
1000x2000x600	TME 102006	1	38965	41240	32385	34915	TPL 102006	3020	TSC 102006	5480
1200x2000x600	TME 122006	1	43010	44910	36055	37950	TPL 122006	3020	TSC 122006	5480
600x2000x800	TME 062008	1	26060	28715	21835	24090	TPL 062008	2735	TSC 062008	6870
800x2000x800	TME 082008	1	31185	33900	25130	27830	TPL 082008	3085	TSC 082008	6870
1000x2000x800	TME 102008	1	40480	42500	33650	35900	TPL 102008	3230	TSC 102008	6870
1200x2000x800	TME 122008	1	45540	47125	38710	40480	TPL 122008	3395	TSC 122008	6870
600x2200x600	TME 062206	1	26885	28715	22585	24165	TPL 062206	2400	TSC 062206	5820
800x2200x600	TME 082206	1	31625	33145	26185	28085	TPL 082206	2650	TSC 082206	5820
1000x2200x600	TME 102206	1	42500	44275	34030	35925	TPL 102206	3118	TSC 102206	5290
1200x2200x600	TME 122206	1	47630	49335	38960	40755	TPL 122206	3350	TSC 122206	5290
600x2200x800	TME 062208	1	28590	31370	24920	27565	TPL 062208	2760	TSC 062208	7400
800x2200x800	TME 082208	1	33525	35170	27960	30360	TPL 082208	3085	TSC 082208	7400
1000x2200x800	TME 102208	1	45800	47820	37445	39215	TPL 102208	3735	TSC 102208	6730
1200x2200x800	TME 122208	1	49335	51235	40985	42340	TPL 122208	4103	TSC 122208	6730

*Baying kit (BIL-14280) Rs. 1320 is also available for Enclosure Version. For extra accessories, please contact nearest branch office.

MOQ-Minimum order quantity in nos.

Note : Cutout charges will be extra

Freight charges will be extra at actuals



Key Attributes:

- Aesthetic & robust construction
- Mounting Fan /s in top doesn't take usable "U" space.
- Special type of Wallmounting hardware.
- Provision for earthing available in the cabinets.
- Highly corrosion resistant in nature.

19" Wall Mount Racks

Dimensions (Hx W x D) mm	MOQ Nos.	Cat. No.	List Price Rs.
6UX550X400	1	BIL-W-6-5504	3400
9UX550X400	1	BIL-W-9-5504	3900
6UX550X500	1	BIL-W-6-5505	3750
9UX550X500	1	BIL-W-9-5505	4350
12UX550X500	1	BIL-W-12-5505	4850
15UX550X500	1	BIL-W-15-5505	5700

MOQ-Minimum order quantity in nos.

Standard Configuration: Wallmount cabinet, 2-Pairs of 19" rail.

Notes : Accessories viz. Shelves, Fans, power strips, cable managers captive H/W & wall mounting hardware etc. will be extra as per the accessories list furnished in the price list.
Wall mount racks price do not include freight & will be extra at actuals



Key Attributes:

- Floor mounting robust design.
- Lockable & removable side panels.
- 2-pairs of adjustable 19" rails.
- Front door with toughened glass & perforation.
- High load bearing capacity.
- Rear vented door.
- Provision for fan mounting in top which doesn't take usable "U" Space.
- Superior cable management facility in extra wide racks.
- 4-integrated vertical cable managers are default design of 800mm wide racks.
- Rear space saving split door with 3-point secure locking in extra wide (800mm) racks.

19" Networking Racks

Dimensions (H x W x D) mm	MOQ Nos.	Cat. No.	List Price Rs.
24U X 600 X 600	1	BIL-N-062406	19000
24U X 600 X 800	1	BIL-N-062408	21000
24U X 800 X 600	1	BIL-N-082406	23800
24U X 800 X 800	1	BIL-N-082408	26000
30U X 600 X 600	1	BIL-N-063006	21000
30U X 600 X 800	1	BIL-N-063008	23000
30U X 800 X 600	1	BIL-N-083006	26000
30U X 800 X 800	1	BIL-N-083008	28500
36U X 600 X 600	1	BIL-N-063606	23000
36U X 600 X 800	1	BIL-N-063608	25500
36U X 800 X 600	1	BIL-N-083606	28500
36U X 800 X 800	1	BIL-N-083608	31000
42U X 600 X 600	1	BIL-N-064206	26500
42U X 600 X 800	1	BIL-N-064208	28400
42U X 800 X 600	1	BIL-N-084206	31300
42U X 800 X 800	1	BIL-N-084208	34500
45U X 600 X 600	1	BIL-N-064506	30500
45U X 600 X 800	1	BIL-N-064508	32000
45U X 800 X 600	1	BIL-N-084506	33500
45U X 800 X 800	1	BIL-N-084508	36500

MOQ-Minimum order quantity in nos.

Notes : 1) Networking racks price do not include freight & this will be extra at actuals.

For more details visit : www.bchindia.com/technorack

19" Server Racks

Key Attributes:

- Floor mounting robust design.
- Lockable & removable side panels.
- 2-pairs of adjustable 19" rails.
- Front door with toughened glass & perforation.
- High load bearing capacity.
- Rear vented door.
- Provision for fan mounting in top which doesn't take usable "U" Space.
- Superior cable management facility in extra wide racks.
- 4-integrated vertical cable managers are default design of 800mm wide racks.
- Rear space saving split door with 3-point secure
- locking in extra wide (800mm) racks.

Dimensions (H x W x D) mm	MOQ Nos.	Cat. No.	List Price Rs.
24U X 600 X 900	1	BIL-S-062409	21450
24U X 600 X 1000	1	BIL-S-062410	22800
30U X 600 X 900	1	BIL-S-063009	24250
30U X 600 X 1000	1	BIL-S-063010	25200
36U X 600 X 900	1	BIL-S-063609	26600
36U X 600 X 1000	1	BIL-S-063610	28000
42U X 600 X 900	1	BIL-S-064209	29900
42U X 600 X 1000	1	BIL-S-064210	31800
42U X 800 X 1000	1	BIL-S-084210	36600
45U X 600 X 900	1	BIL-S-064509	34500
45U X 600 X 1000	1	BIL-S-064510	36500

MOQ - Minimum order quantity in nos.

Notes : Server racks price do not include freight & this will be extra at actuals.

STANDARD CONFIGURATION: Basic frame, Top & bottom, Front Glass door with perforation, Rear vented door, Lockable & detachable side panels, 2-Pairs of 19" rails with depth members.



Key Attributes:

- Includes 1-Pair of 21" rails.
- Integrated side panels.
- Grouting arrangements along with grouting bolts.
- Provision for powere & data cable entry / exit in top & bottom.

ETSI Racks

Dimensions (H x W x D) mm	MOQ Nos.	Cat. No.	List Price Rs.
2200 X 600 x 300	1	ITE-062203	7700
2200 X 600 x 600	1	ITE-062206	12400

MOQ - Minimum order quantity in nos.

Notes : Above ETSI configuration do not include front & rear door and covers.

All other accessories will be extra & will be furnished on request.

The prices mentioned above do not include freight.



Key Attributes:

- 1-Pair of vertical cable manager is default design.
- Surface pretreated and advance powder coated
- Goruting bolts as std. BOM.

19" Open Racks

Dimensions (H x W) mm	MOQ Nos.	Cat. No.	List Price Rs.
36U X 600	1	ITE-OF-0636	5000
45U X 600	1	ITE-OF-0645	5900

MOQ - Minimum order quantity in nos.

Notes : 1) Above Open Rack configuration does not include Shelves, Doors and Covers. All other accessories prices will be extra and will be furnished on request.

2) The Prices above do not include Freight and this will be extra at actuals.

For more details, visit : www.bchindia.com/technorack

Accessories for 19" Racks

Fixed Shelf/Stationary Shelf

- Compatible to keep monitor, servers, non 19" Networking & allied equipments.

Key-Board Tray

- Sliding & rotatory type.

Canteliver Shelf

- It can accomodate light weighted networking & allied equipments like modem, routers etc.

Equipment Support Angle

- "L" type angles. Useful to keep non 19" heavy duty equipment in rack mounting position.

Sliding Shelf

- Useful to keep servers, networking & allied equipment which are required to slide out for operational & other purpose.

Fans/Fan Tray

- 220V 90 CFM Capacity. Can be mounted at the top either directly or through Fan housing unit (Fan Tray)

6-Point 5A Hor. Power Strip

- All universal type socket along with on/off switch with fuse & indicator. Internal strips are made up of Berellium copper that has high rate of heat & mechanical tolerance.
- Other 5A or 5/15A Power strips have Indian style (Anchor) Sockets with on/off switch/MCB.

Castors

- 1-Set includes 4Nos. of castors, 2Nos. with foot operated brake & remaining 2 are free.

Levelling Feet

- 1-Set includes 4Nos. of Levelling Feet.

Stability Plate

- It Prevents the racks from toppling while taking out heavy duty servers.

Shelves

Description	Cat No.	List Price Rs.
Fixed Shelf (600mmD)	BIL-A-FS-L-06	850
Fixed Shelf (800mmD)	BIL-A-FS-L-08	1300
Fixed Shelf (900mmD)	BIL-A-FS-L-09	1450
Fixed Shelf (1000mmD)	BIL-A-FS-L-10	1550
Modem Tray	BIL-A-MD	800
Key board tray (Sliding & Rotatory)	BIL-A-KB-06	2500
Canteliver Shelf (1U)	BIL-A-CS-1	500
Canteliver Shelf (2U)	BIL-A-CS-2	750
Equipment Support Angle (600mmD)	BIL-A-ESA-06	300
Equipment Support Angle (800mmD)	BIL-A-ESA-08	350
Equipment Support Angle (900mmD)	BIL-A-ESA-09	430
Equipment Support Angle (1000mmD)	BIL-A-ESA-10	500
Sliding Shelf (900mmD)	BIL-A-SS-09	2500
Sliding Shelf (1000mmD)	BIL-A-SS-10	2600

Thermal Management

Description	Cat No.	List Price Rs.
1-Fan (Direct mounted)	BIL-A-SF	850
Fan-tray with 2-Fans (FHU)	BIL-A-FHU-2FANS	1800
Fan-tray with 4-Fans (FHU)	BIL-A-FHU-4FANS	3150

Cable Management

Description	Cat No.	List Price Rs.
Horizontal Cable Manager (1U)	BIL-A-HCM-1U	200
Horizontal Cable Manager (2U)	BIL-A-HCM-2U	250
Vertical Cable Manager (24U)	BIL-A-VCM-24U	300
Vertical Cable Manager (30U)	BIL-A-VCM-30U	400
Vertical Cable Manager (36U)	BIL-A-VCM-36U	450
Vertical Cable Manager (42U)	BIL-A-VCM-42U	500
Vertical Cable Manager (45U)	BIL-A-VCM-45U	550
45U (100x100) PVC cable	BIL-A-SPVC1010	2250
45U (100x100) PVC cable	BIL-A-DPVC1010	3650

Power Management

Description	Cat No.	List Price Rs.
6-Point 5Amp Horizontal Power Strip (19")	BIL-A-HPS-5AMP	650
5-Point 5/15Amp Horizontal Power Strip (19")	BIL-A-HPS-15AMP	1100
12-Point 5Amp Vertical Power Strip	BIL-A-12VPS-5AMP	1600
10-Point 5/15Amp Vertical Power Strip	BIL-A-10VPS-15AMP	1850
Earth continuity Kit (Earthing Kit)	BIL-A-ECT	650

Stability Management

Description	Cat No.	List Price Rs.
Castors (1-Set) Heavy Duty	BIL-A-CAS-HD	2950
Castors (1-Set) Light Duty	BIL-A-CAS	1750
Levelling Feet (1-Set)	BIL-A-LF	250
Stability Plate	BIL-A-SP	1500

Miscellaneous

Description	Cat No.	List Price Rs.
BAYING KIT	BIL-A-BK	280
BLANKING PANEL (1U)	BIL-A-BP-1U	100
BLANKING PANEL (2U)	BIL-A-BP-2U	120
BLANKING PANEL (3U)	BIL-A-BP-3U	150
BLANKING PANEL (4U)	BIL-A-BP-4U	200
BLANKING PANEL (5U)	BIL-A-BP-5U	250
Captive H/w (set of 10)	BIL-A-Captive-M6	100
Wallmounting H/w (set of 4)	BIL-A-wallmounting W	90

Notes : Packing & forwarding will be extra if accessories are ordered seprately.

TERMS & CONDITIONS

Prices ●●●●

The purchase price is the standard price ruling at the date of despatch and is subject to change without notice. All contract prices will be as on the date of contract acceptance.

Jurisdiction ●●●●

The courts at Faridabad will have jurisdiction to settle all the disputes raised.

Duties and Taxes ●●●●

- List Prices do not include sales tax and other levies such as octroi; these will be charged extra as applicable.

In case where any sales tax exemption has been claimed, the purchaser is responsible for providing the necessary sales tax exemption form within the specified period, failing which the purchaser would be liable for the payment of full sales tax plus applicable interest and penalties.

Order Changes ●●●●

Alterations made after receipt and confirmation of order are subject to price and delivery revisions and any other expenses or levies.

BCH ELECTRIC LIMITED

Visit us at : www.bchindia.com

Corporate Office : 1105, New Delhi House, 27, Barakhamba Road, New Delhi-110 001 Tel. : 91-11-23316029/3610/6539/43673100 Fax : 91-11-23715247 E-mail : marketing@bchindia.com
Registered Office : Block 1E, 216, Acharya Jagadish Chandra Bose Road, Kolkata - 700 017
Works : 20/4, Mathura Road, Faridabad -121 006 (Haryana) Tel. : 0129-4063000/4293000 Fax : 0129-2304016

Sales Offices :

Ahmedabad
93, City Centre,
Near Swastik Char Rasta,
C.G. Road, Navrangpura,
Ahmedabad- 380 009
Tel. : 079-26565719/40074482
Fax : 079-26565719
E-mail : ahmedabad@bchindia.com

Bangalore
B.M.H. Complex, 2nd Floor,
No. 22, Kengal Hanumanthiah Road,
Bangalore - 560 027
Tel. : 080-22273478/41144878/41144879
Fax : 080-22236759
E-mail : bangalore@bchindia.com

Chandigarh
SCO 121-22-23, 1st Floor,
Sector 34-A, Chandigarh - 160 022
Tel. : 0172-5078957/2666122
Fax : 0172-5049905
E-mail : chandigarh@bchindia.com

Chennai
LVR CENTRE, 3rd Floor,
No.7, Seshadri Road,
Alwarpet, Chennai - 600 018
Tel. : 044-24997042/24997002
Fax : 044-24996853
E-mail : chennai@bchindia.com

Coimbatore
87, Dr. Nanjappa Road,
Coimbatore - 641 018
Tel. : 0422-2305311
Fax : 0422-2302599
E-mail : coimbatore@bchindia.com

Faridabad
20/4, Mathura Road,
Faridabad - 121 006 (Haryana)
Tel. : 0129-4083007
E-mail : faridabad@bchindia.com

Hyderabad
Arya One, First Floor,
1-8-303/48/13/102, P. G. Road,
Secunderabad - 500 003
Tel. : 040-66206263/27763325
Fax : 040-66207273
E-mail : hyderabad@bchindia.com

Indore
330-331, Indraprastha Tower,
3rd Floor, 6, M.G. Road,
Indore - 452 001
Tel. : 0731-2510011
Fax : 0731-2510012
E-mail : indore@bchindia.com

Jaipur
25, Hathroi, Gopalbari,
Jaipur - 302 001
Tel. : 0141-5104521
Fax : 0141-2363521
E-mail : jaipur@bchindia.com

Jamshedpur
3rd Floor, Aastha Trade Centre,
Q' Road, Bistupur,
Jamshedpur - 831 001
Tel. : 0657-2756171/2756157
E-mail : jamshedpur@bchindia.com

Kolkata
East India House, 3rd Floor,
20-B, Abdul Hamid Street,
Kolkata - 700 009
Tel. : 033-22138500-12
Fax : 033-22138511
E-mail : kolkata@bchindia.com

Lucknow
Madan Plaza, 3rd Floor,
14, Station Road,
Lucknow - 226 001
Tel. : 0522-4025597/4025997
Fax : 0522-4025697
E-mail : lucknow@bchindia.com

Ludhiana
S.C.O.- 18, 2nd Floor,
Feroze Gandhi Market,
Ludhiana - 140 001
Tel. : 0161-5021807/5022808
Fax : 0161-5021807
E-mail : ludhiana@bchindia.com

Mumbai
A-151, Mittal Tower,
Nariman Point,
Mumbai - 400 021
Tel. : 022-22822947/22826039
Fax : 022-22822858
E-mail : mumbai@bchindia.com

Nagpur
3rd Floor, "Paradise Plaza",
Kadbi Chowk,
Nagpur - 440 004,
Tel. : 0712-2041518
Telefax : 0712-2041670
E-mail : nagpur@bchindia.com

New Delhi
801, Akash Deep,
26A, Barakhamba Road,
New Delhi - 110 001
Tel. : 011-23313878/66307065
Fax : 011-23739230
E-mail : delhi@bchindia.com

Pune
8, Sarosh Bhavan,
16-B/1, Dr. Ambedkar Road,
Pune - 411 001
Tel. : 020-26052590
Telefax : 020-26135224
E-mail : pune@bchindia.com

Raipur
2nd Floor, Building No. B-234,
Indira Gandhi Vyavasayik Parisar,
Pandri, Raipur - 492 004
Tel. : 0771-4020213
Fax : 0771-2582680
E-mail : raipur@bchindia.com

Surat
601/A, 21st Century Business Centre,
Ring Road,
Surat - 395 002
Tel. : 0261-2331840
Fax : 0261-2331841
E-mail : surat@bchindia.com

Trichy
Kingston Park, Second Floor,
19/1, Puttur High Road,
Ramalinga Nagar,
Trichy - 620 003
Tel. : 0431-4040497
E-mail : trichy@bchindia.com

Vadodara
101, Toran Complex,
Vikas Nagar, Old Padra Road,
Vadodara - 390 020
Tel. : 0265-2345069
0265-6548444 (Direct)
Telefax : 0265-2345068,
E-mail : vadodara@bchindia.com

Other Branch Locations

Bhubaneswar : bhubaneswar@bchindia.com, **Cochin :** cochin@bchindia.com, **Dehradun :** dehradun@bchindia.com, **Guwahati :** guwahati@bchindia.com, **Hospet :** hospet@bchindia.com,
Hubli : hubli@bchindia.com, **Madurai :** madurai@bchindia.com, **Vishakapatnam :** vizag@bchindia.com

Resident Engineer Locations

Amبالa	Bhopal	Haldwani	Mehsana	Puducherry	Siliguri
Ankleshwar	Bhubaneswar	Haridwar	Muzaffarnagar	Rajkot	Thiruvananthapuram
Baddi	Chandrapur	Jabalpur	Mysore	Rajahmundry	Tinsukia
Bardhaman	Cuttack	Jalandhar	Nashik	Ranchi	Udaipur
Belgaum	Durgapur	Korba	Navi Mumbai	Rourkela	Varanasi
Bhilai	Ghaziabad	Kota	Patiala	Solapur	Warangal
Bhiwadi	Gwalior	Mangalore	Patna	Salem	

Since product improvement is a continuous process, the data furnished in this brochure may undergo revision without prior notice.